

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

BPTM 6070-TALCUM MINI-SPRAY AIR FRESHENER MAYORDOMO

AGRADO
COSMETIC

Version: 1
Revision date: 06/09/2017

Page 1 of 12
Print date: 15/02/2018

SECTION 1: IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name: TALCUM MINI-SPRAY AIR FRESHENER MAYORDOMO
Product Code: BPTM 6070

1.2 Relevant identified uses of the mixture and uses advised against.

Air perfuming

Uses advised against: Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet.

Company: **AGRADO COSMETIC CARE 3000 S.L.U.**
Address: Pol. Ind. Los Vientos - Parcela 34, C/Zéfir, s/n.
City: 46119, Nàquera
Province: Valencia
Telephone: (+34) 96 139 92 41
Fax: (+34) 96 139 92 46
E-mail: info@agradocosmetic.com
Web: www.agradocosmetic.com

1.4 Emergency telephone number: (+34) 96 139 92 41 (Only available during office hours; Monday-Friday; 08:00-18:00)

SECTION 2: HAZARDS IDENTIFICATION.

2.1 Classification of the mixture.

In accordance with Regulation (EU) No 1272/2008:

Aerosol 1 : Pressurised container: May burst if heated.

Aquatic Chronic 3 : Harmful to aquatic life with long lasting effects.

2.2 Label elements.

Labelling in accordance with Regulation (EU) No 1272/2008:

Pictograms:



Signal Word:

Danger

H statements:

H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.
H412 Harmful to aquatic life with long lasting effects.

P statements:

P102 Keep out of reach of children.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
P260 Do not breathe spray.
P262 Do not get in eyes, on skin or on clothing.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

BPTM 6070-TALCUM MINI-SPRAY AIR FRESHENER MAYORDOMO

AGRADO
COSMETIC

Version: 1

Revision date: 06/09/2017

Page 2 of 12

Print date: 15/02/2018

P501 Dispose of contents/container in an authorised consultant.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
Avoid extended spraying.
Do not ingest.

EUH statements:

EUH208 Contains Limonene. May produce an allergic reaction.
EUH208 Contains Hexyl cinnamal. May produce an allergic reaction.
EUH208 Contains Citronellol. May produce an allergic reaction.
EUH208 Contains Geraniol. May produce an allergic reaction.
EUH208 Contains Nerol. May produce an allergic reaction.
EUH208 Contains Benzyl salicylate. May produce an allergic reaction.
EUH208 Contains Alpha-Isomethyl ionone. May produce an allergic reaction.
EUH208 Contains Butylphenyl methylpropional. May produce an allergic reaction.
EUH208 Contains Coumarin. May produce an allergic reaction.

2.3 Other hazards.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.

Not Applicable.

3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

Identifiers	Name	Concentrate	(*)Classification - Regulation (EC) No 1272/2008	
			Classification	specific concentration limit
Index N°: 649-083-00-0 CAS N°: 68512-91-4 EC N°: 270-990-9 Registration N°: 01-2119485926-20-XXXX	[2] GLP	>= 75 %	Flam. Gas 1, H220 Press. Gas, H280	-
Index No: 603-002-00-5 CAS No: 64-17-5 EC No: 200-578-6 Registration No: 01- 2119457610-43-XXXX	[1] Alcohol denat.	>= 5% < 10%	Flam. Liq. 2, H225	-
CAS No: 101-86-0 EC No: 202-983-3	Hexyl cinnamal	>= 0,1% < 1,0%	Skin Sens. 1, H317	-
CAS No: 106-22-9 EC No: 203-375-0 Registration No: 01- 2119453995-23-XXXX	Citronellol	>= 0,1% < 1,0%	Eye Irrit. 2, H319 - Skin Irrit. 2, H315 - Skin Sens. 1, H317	-
CAS No: 127-51-5 EC No: 204-846-3	Alpha-Isomethyl ionone	>= 0,1% < 1,0%	Aquatic Chronic 2, H411 - Skin Sens. 1, H317	-
CAS No: 106-24-1 EC No: 203-377-1 Registration No: 01- 2119552430-49-XXXX	Geraniol	>= 0,1% < 1,0%	Eye Dam. 1, H318 - Skin Irrit. 2, H315 - Skin Sens. 1, H317	-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

BPTM 6070-TALCUM MINI-SPRAY AIR FRESHENER MAYORDOMO

AGRADO
COSMETIC

Version: 1

Revision date: 06/09/2017

Page 3 of 12

Print date: 15/02/2018

Index No: 603-212-00-7 CAS No: 1222-05-5 EC No: 214-946-9 Registration No: 01-2119488227-29-XXXX	Hexamethylindanopyran	$\geq 0,1\% < 1,0\%$	Aquatic Acute 1, H400 - Aquatic Chronic 1, H410	-
CAS No: 118-58-1 EC No: 204-262-9	Benzyl salicylate	$\geq 0,1\% < 1,0\%$	Aquatic Chronic 3, H412 - Eye Irrit. 2, H319 - Skin Sens. 1, H317	-
CAS No: 80-54-6 EC No: 201-289-8 Registration No: 01-2119485965-18-XXXX	Butylphenyl methylpropional	$\geq 0,1\% < 1,0\%$	Acute Tox. 4, H302 - Aquatic Chronic 2, H411 - Repr. 2, H361 - Skin Irrit. 2, H315 - Skin Sens. 1, H317	-
Index No: 601-029-00-7 CAS No: 5989-27-5 EC No: 227-813-5 Registration No: 01-2119529223-47-XXXX	Limonene	$\geq 0,1\% < 1,0\%$	Aquatic Acute 1, H400 - Aquatic Chronic 1, H410 - Flam. Liq. 3, H226 - Skin Irrit. 2, H315 - Skin Sens. 1, H317	-
CAS No: 78-70-6 EC No: 201-134-4 Registration No: 01-2119474016-42-XXXX	Linalool	$\geq 0,1\% < 1,0\%$	Eye Irrit. 2, H319 - Skin Irrit. 2, H315 - Skin Sens. 1, H317	-
CAS No: 91-64-5 EC No: 202-086-7	Coumarin	$\geq 0,1\% < 1,0\%$	Acute Tox. 4, H302 - Skin Sens. 1, H317 - STOT RE 2, H373	-
CAS No: 106-25-2 EC No: 203-378-7	Nerol	$\geq 0,1\% < 1,0\%$	Eye Irrit. 2, H319 - Skin Irrit. 2, H315 - Skin Sens. 1, H317	-
CAS No: 101-84-8 EC No: 202-981-2 Registration No: 01-2119472545-33-XXXX	[1] Diphenyl ether	$< 0,1\%$	Aquatic Chronic 2, H411 - Eye Irrit. 2, H319	-
CAS No: 469-61-4 EC No: 207-418-4	Alpha-cedrene	$< 0,1\%$	Aquatic Acute 1, H400 (M=10) - Aquatic Chronic 1, H410 (M=10) - Asp. Tox. 1, H304	-

(*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

[1] Substance with a Community workplace exposure limit (see section 8.1).

[2] It contains less than 0,1 % in weight of 1,3 - butadiene (EC No 203-450-8) (see section 15).

SECTION 4: FIRST AID MEASURES.

4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance.

Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

BPTM 6070-TALCUM MINI-SPRAY AIR FRESHENER MAYORDOMO

AGRADO
C O S M E T I C

Version: 1
Revision date: 06/09/2017

Page 4 of 12
Print date: 15/02/2018

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

No known acute or delayed effects from exposure to the product.

4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

SECTION 5: FIREFIGHTING MEASURES.

The product is Extremely inflammable, it can cause or considerably worsen a fire, the necessary prevention measures should be taken and risks avoided. In case of fire, the following measures are recommended:

5.1 Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO₂.

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

5.2 Special hazards arising from the mixture.

Special risks.

Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

During a fire and depending on its magnitude the following may occur:

- Flammable vapors or gases.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Product residues and extinguishing media may contaminate the aquatic environment. Follow the instructions given in the emergency or fire evacuation plan or plans if available.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots. During extinction and depending on the magnitude and proximity to the fire, additional protective equipment such as chemical protection gloves, heat-reflecting suits or gas-tight suits may be required.

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

Eliminate possible ignition points and ventilate the area. No smoking. Avoid breathing fumes. For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.

Product dangerous for the environment, in case of large spills or if the product contaminates lakes, rivers, or sewers, inform the responsible authorities according to local legislation. Prevent the contamination of drains, surface or subterranean waters, and the ground.

6.3 Methods and material for containment and cleaning up.

Pick up the spill with non-combustible absorbent materials (soil, sand, vermiculite, diatomite, etc.). Pour the product and the absorbent in an appropriate container. The contaminated area should be immediately cleaned with an appropriate decontaminator. Pour the decontaminator on the remains in an opened container and let it act various days until no further reaction is produced.

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

BPTM 6070-TALCUM MINI-SPRAY AIR FRESHENER MAYORDOMO

AGRADO
COSMETIC

Version: 1
Revision date: 06/09/2017

Page 5 of 12
Print date: 15/02/2018

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.

The fumes are heavier than air and can spread across the ground. They can form explosive mixtures with air. Prevent the creation of flammable or explosive fume concentrations in the air; prevent fume concentrations above work exposure limits. The product must only be used in areas where all unprotected flames and other ignition points have been eliminated. Electrical equipment has to be protected according to applicable standards.

The product can be electrostatically charged: always use earth grounds when transferring the product. Operators must use anti-static footwear and clothing, and floors must be conductors.

Keep the container tightly closed and isolated from heat sources, sparks, and fire. Do not use tools that can cause sparks. For personal protection, see section 8. Never use pressure to empty the containers. They are not pressure-resistant containers.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Keep the product in containers made of a material identical to the original.

7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 35° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorized persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

Classification and threshold amount of storage in accordance with Annex I to Directive 2012/18/EU (SEVESO III):

Code	Description	Qualifying quantity (tonnes) for the application of	
		Lower-tier requirements	Upper-tier requirements
P3a	FLAMMABLE AEROSOLS (net)	150	500

7.3 Specific end use(s).

Not available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m ³
Alcohol denat.	64-17-5	United Kingdom [1]	Eight hours	1000	1920
			Short term		
Diphenyl ether	101-84-8	European Union [2]	Eight hours	1	7
			Short term	2	14
		United Kingdom [1]	Eight hours	1	7,1
			Short term		

[1] According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adopted by Health and Safety Executive.

[2] According both Binding Occupational Exposure Limits (BOELVs) and Indicative Occupational Exposure Limits (IOELVs) adopted by Scientific Committee for Occupational Exposure Limits to Chemical Agents (SCOEL).

The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Type	Value
Alcohol denat. CAS No: 64-17-5 EC No: 200-578-6	DNEL (Workers)	Inhalation, Long-term, Systemic effects	950 (mg/m ³)
Citronellol CAS No: 106-22-9 EC No: 203-375-0	DNEL (Workers)	Inhalation, Long-term, Systemic effects	161,6 (mg/m ³)

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

BPTM 6070-TALCUM MINI-SPRAY AIR FRESHENER MAYORDOMO

AGRADO
COSMETIC

Version: 1

Revision date: 06/09/2017

Page 6 of 12

Print date: 15/02/2018

Alpha-Isomethyl ionone CAS No: 127-51-5 EC No: 204-846-3	DNEL (Workers)	Inhalation, Long-term, Systemic effects	29,4 (mg/m ³)
Geraniol CAS No: 106-24-1 EC No: 203-377-1	DNEL (Workers)	Inhalation, Long-term, Systemic effects	161,6 (mg/m ³)
Hexamethylindanopyran CAS No: 1222-05-5 EC No: 214-946-9	DNEL (Workers)	Inhalation, Long-term, Systemic effects	5,29 (mg/m ³)
Butylphenyl methylpropional CAS No: 80-54-6 EC No: 201-289-8	DNEL (Workers)	Inhalation, Long-term, Systemic effects	0,44 (mg/m ³)
Limonene CAS No: 5989-27-5 EC No: 227-813-5	DNEL (Workers)	Inhalation, Long-term, Systemic effects	33,3 (mg/m ³)
Diphenyl ether CAS No: 101-84-8 EC No: 202-981-2	DNEL (Workers)	Inhalation, Long-term, Local effects	9,68 (mg/m ³)
	DNEL (Workers)	Inhalation, Long-term, Systemic effects	245,8 (mg/m ³)

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

Concentration levels PNEC:

Name	Details	Value
Alcohol denat. CAS No: 64-17-5 EC No: 200-578-6	Fresh water	0,96 (mg/L)
	Marine water	0,79 (mg/L)
	Aqua (intermittent releases)	2,75 (mg/L)
	Soil	0,63 (mg/kg suelo dw)
	Sedimento (freshwater)	3,6 (mg/kg sedimento dw)

PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are not expected in the environmental compartment.

8.2 Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %
Uses:	Air perfuming
Breathing protection:	
PPE:	Filter mask for protection against gases and particles.
Characteristics:	«CE» marking, category III. The mask must have a wide field of vision and an anatomically designed form in order to be sealed and watertight.
CEN standards:	EN 136, EN 140, EN 405
Maintenance:	Should not be stored in places exposed to high temperatures and damp environments before use. Special attention should be paid to the state of the inhalation and exhalation valves in the face adaptor.
Observations:	Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols: P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer.
Filter Type needed:	A2
Hand protection:	
PPE:	Work gloves.
Characteristics:	«CE» marking, category I.
CEN standards:	EN 374-1, EN 374-2, EN 374-3, EN 420
Maintenance:	Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.
Observations:	Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.



SAFETY DATA SHEET




(in accordance with Regulation (EU) 2015/830)

BPTM 6070-TALCUM MINI-SPRAY AIR FRESHENER MAYORDOMO

AGRADO
COSMETIC

Version: 1
Revision date: 06/09/2017

Page 7 of 12
Print date: 15/02/2018

Material:	PVC (polyvinyl chloride)	Breakthrough time (min.):	> 480	Material thickness (mm):	0,35
Eye protection:					
PPE:	Face shield.				
Characteristics:	«CE» marking, category II. Face and eye protector against splashing liquid.				
CEN standards:	EN 165, EN 166, EN 167, EN 168				
Maintenance:	Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly.				
Observations:	Face shields should offer a field of vision with a dimension in the central line of, at least, 150 mm vertically once attached to the frame.				
Skin protection:					
PPE:	Anti-static protective clothing.				
Characteristics:	«CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.				
CEN standards:	EN 340, EN 1149-1, EN 1149-2, EN 1149-3, EN 1149-5				
Maintenance:	In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.				
Observations:	The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.				
PPE:	Anti-static safety footwear.				
Characteristics:	«CE» marking, category II.				
CEN standards:	EN ISO 13287, EN ISO 20344, EN ISO 20346				
Maintenance:	The footwear should be checked regularly				
Observations:	The level of comfort during use and acceptability are factors that are assessed very differently depending on the user. Therefore, it is advisable to try on different footwear models and, if possible, different widths.				

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties.

Appearance: Transparent (Aerosol)
Colour: Yellow (Liquid phase)
Odour: Characteristic of perfume
Odour threshold: N.A./N.A.
pH: N.A./N.A.
Melting point: N.A./N.A.
Boiling Point: >35 °C
Flash point: <23 °C
Evaporation rate: N.A./N.A.
Inflammability (solid, gas): Extremely flammable
Lower Explosive Limit: N.A./N.A.
Upper Explosive Limit: N.A./N.A.
Vapour pressure: N.A./N.A.
Vapour density: N.A./N.A.
Relative density: 0,865±0,010 g/cm³
Solubility: N.A./N.A.
Liposolubility: N.A./N.A.
Hydrosolubility: N.A./N.A.
Partition coefficient (n-octanol/water): N.A./N.A.
Auto-ignition temperature: N.A./N.A.
Decomposition temperature: N.A./N.A.
Viscosity: N.A./N.A.
Explosive properties: Not explosive
Oxidizing properties: Not comburent
N.A./N.A.= Not Available/Not Applicable due to the nature of the product

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

BPTM 6070-TALCUM MINI-SPRAY AIR FRESHENER MAYORDOMO

AGRADO
COSMETIC

Version: 1
Revision date: 06/09/2017

Page 8 of 12
Print date: 15/02/2018

9.2 Other information.

Pour point: N.A./N.A.

Blink: N.A./N.A.

Kinematic viscosity: N.A./N.A.

N.A./N.A.= Not Available/Not Applicable due to the nature of the product

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

The product does not present hazards by their reactivity.

10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

10.4 Conditions to avoid.

Avoid any improper handling.

10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

SECTION 11: TOXICOLOGICAL INFORMATION.

11.1 Information on toxicological effects.

Repeated or prolonged contact with the product can cause the elimination of oil from the skin, giving rise to non-allergic contact dermatitis and absorption of the product through the skin.

Splatters in the eyes can cause irritation and reversible damage.

Toxicological information about the substances present in the composition.

Name	Acute toxicity			
	Type	Test	Kind	Value
Alcohol denat.	Oral	LD50	Rat	10470 mg/kg
	Dermal	LD50	Rabbit	> 15800 mg/kg
CAS No: 64-17-5 EC No: 200-578-6	Inhalation			

a) acute toxicity;

Not conclusive data for classification.

b) skin corrosion/irritation;

Based on available data, the classification criteria are not met.

c) serious eye damage/irritation;

Based on available data, the classification criteria are not met.

d) respiratory or skin sensitisation;

Based on available data, the classification criteria are not met.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

BPTM 6070-TALCUM MINI-SPRAY AIR FRESHENER MAYORDOMO

AGRADO
C O S M E T I C

Version: 1

Revision date: 06/09/2017

Page 9 of 12

Print date: 15/02/2018

g) reproductive toxicity;
Based on available data, the classification criteria are not met.

h) STOT-single exposure;
Not conclusive data for classification.

i) STOT-repeated exposure;
Based on available data, the classification criteria are not met.

j) aspiration hazard;
Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION.

12.1 Toxicity.

Name	Ecotoxicity			
	Type	Test	Kind	Value
Alcohol denat. CAS No: 64-17-5 EC No: 200-578-6	Fish	LC50	Fish	11200 mg/l (96 h)
	Aquatic invertebrates	EC50	Daphnia magna	5012 mg/l (48 h) [1]
	Aquatic plants			

12.2 Persistence and degradability.

There is no information available on the degradability of the substances present.

No information is available regarding the degradability of the substances present.No information is available about persistence and degradability of the product.

The components of the product comply with the biodegradability criteria of Regulation (EC) No 648/2004 on detergents.

12.3 Bioaccumulative potential.

Information about the bioaccumulation of the substances present.

Name	Bioaccumulation			
	Log Pow	BCF	NOECs	Level
Alcohol denat. N. CAS: 64-17-5 EC No: 200-578-6	-0,3	-	-	Very low
Citronellol N. CAS: 106-22-9 EC No: 203-375-0	4,04	-	-	High
Geraniol N. CAS: 106-24-1 EC No: 203-377-1	3,56	-	-	Moderate
Limonene N. CAS: 5989-27-5 EC No: 227-813-5	4,83	-	-	High
Linalool N. CAS: 78-70-6 EC No: 201-134-4	2,97	-	-	Low
Diphenyl ether N. CAS: 101-84-8 EC No: 202-981-2	4,21	-	-	High

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

BPTM 6070-TALCUM MINI-SPRAY AIR FRESHENER MAYORDOMO

AGRADO
C O S M E T I C

Version: 1

Revision date: 06/09/2017

Page 10 of 12

Print date: 15/02/2018

12.4 Mobility in soil.

No information is available about the mobility in soil.
The product must not be allowed to go into sewers or waterways.
Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

12.6 Other adverse effects.

No information is available about other adverse effects for the environment.

SECTION 13 DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.
Follow the provisions of Directive 2008/98/EC regarding waste management.

SECTION 14: TRANSPORT INFORMATION.

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA for air transport.

Land: Transport by road: ADR, Transport by rail: RID.

Transport documentation: Consignment note and written instructions

Sea: Transport by ship: IMDG.

Transport documentation: Bill of lading

Air: Transport by plane: ICAO/IATA.

Transport document: Airway bill.

14.1 UN number.

UN No: UN1950

14.2 UN proper shipping name.

Description:

ADR: UN 1950, AEROSOLS, 2.1, (D)

IMDG: UN 1950, AEROSOLS, 2.1 (23°C)

ICAO/IATA (Passenger aircraft): PROHIBITED

ICAO/IATA (Cargo aircraft): UN 1950, AEROSOLS, 2.1

14.3 Transport hazard class(es).

Class(es): 2

14.4 Packing group.

Packing group: Not applicable.

14.5 Environmental hazards.


Marine pollutant: No

14.6 Special precautions for user.

ADR LQ: 1 L

IMDG LQ: 0

ICAO LQ: Not applicable.



SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

BPTM 6070-TALCUM MINI-SPRAY AIR FRESHENER MAYORDOMO

AGRADO
COSMETIC

Version: 1
Revision date: 06/09/2017

Page 11 of 12
Print date: 15/02/2018

Provisions concerning carriage in bulk ADR: Not authorized carriage in bulk in accordance with ADR.
Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): F-D,S-U
Proceed in accordance with point 6.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code.

The product is not transported in bulk.

SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

The product complies with Regulation (EC) No 648/2004 on detergents.

Contains in accordance with Regulation (EC) No 648/2004 on detergents:

aliphatic hydrocarbons

> 30%

perfumes

Allergens: LIMONENE; HEXYL CINNAMAL; CINNAMYL ALCOHOL; ANISE ALCOHOL; CITRONELLOL; GERANIOL; HYDROXYCITRONELLAL; BENZYL SALICYLATE; ALPHA-ISOMETHYL IONONE; LINALOOL; BUTYLPHENYL METHYLPROPIONAL; COUMARIN

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): P3a

The product is not affected by Regulation (EU) N° 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) N° 649/2012, concerning the export and import of dangerous chemicals.

In accordance with the Regulation (CE) N° 1907/2006 (REACH) and in fulfillment of the note k gathered in the Annex XVII of the same one, concludes that: "It is not necessary to apply the classification as carcinogen if it can be demonstrated that the substance contains less than 0,1 % in weight of 1.3 - butadiene (EC N° 203-450-8)".

15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Classification codes:

Acute Tox. 4 : Acute toxicity (Oral), Category 4

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

BPTM 6070-TALCUM MINI-SPRAY AIR FRESHENER MAYORDOMO

AGRADO
C O S M E T I C

Version: 1

Revision date: 06/09/2017

Page 12 of 12

Print date: 15/02/2018

Aerosol 1 : Flammable aerosol, Category 1
Aquatic Acute 1 : Acute toxicity to the aquatic environment, Category 1
Aquatic Chronic 1 : Chronic effect to the aquatic environment, Category 1
Aquatic Chronic 2 : Chronic effect to the aquatic environment, Category 2
Aquatic Chronic 3 : Chronic effect to the aquatic environment, Category 3
Asp. Tox. 1 : Aspiration toxicity, Category 1
Eye Dam. 1 : Serious eye damage, Category 1
Eye Irrit. 2 : Eye irritation, Category 2
Flam. Gas 1 : Flammable gas, Category 1
Flam. Liq. 2 : Flammable liquid, Category 2
Flam. Liq. 3 : Flammable liquid, Category 3
Press. Gas : Gases under pressure
Repr. 2 : Reproductive toxicant, Category 2
Skin Irrit. 2 : Skin irritant, Category 2
Skin Sens. 1 : Skin sensitiser, Category 1
STOT RE 2 : Specific target organ toxicity following a repeated exposure, Category 2

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
BCF: Bioconcentration factor.
CEN: European Committee for Standardization.
DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.
DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.
EC50: Half maximal effective concentration.
PPE: Personal protection equipment.
IATA: International Air Transport Association.
ICAO: International Civil Aviation Organization.
IMDG: International Maritime Code for Dangerous Goods.
LC50: Lethal concentration, 50%.
LD50: Lethal dose, 50%.
Log Pow: Logarithm of the partition octanol-water.
NOEC: No observed effect concentration.
PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are not expected in the environmental compartment.
RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.

Key literature references and sources for data:

<http://eur-lex.europa.eu/homepage.html>

<http://echa.europa.eu/>

Regulation (EU) 2015/830.

Regulation (EC) No 1907/2006.

Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.